

Fan Coil Unit

Luxurious Cassettes

FCU30

Model Number Configuration

FCU30-XD-A : Luxurious Cassette

PERFORMANCE DATA

RETURN AIR

Model	Row	Air Flow			Rated Cooling Capacity	Rated heating Capacity	Water Flow	Water Resistance	Noise	Input Power	Weight
		L/S									
		H	M	L							
FCU30	2	142	103	74	2.7	4.05	0.13	11.8	39	52	19

Notes for Return Air:



1. Cooling: Air on temp. DB/WB 27°C/19.5°C, Water in/out temp.7°C/12°C.
2. Heating: Air on temp. 21°C DB . Water in temp. 60°C.

SPECIFICATION


- **Forward curved centrifugal fan**
- **Single phase motor & direct drive**
- **Coils: Copper tube & Aluminum fins**
- **Galvanised sheet casing**
- **A3 steel sheet painting drip-tray**
- **Capacitance type motor**

Luxurious Cassettes

FCU30




Ceiling Open Size: 610-630mm

DRAWN BY:	DATE: 2009/10/12	
APPROVED O.A.:	APPROVED ENG.:	TITLE: Water Cooled Fan Coil Unit FCU TYPE
MODEL: FCU30XD-A	DRAWING NO.:	ISSUE:
	SCALE:	SHEET NO.: A4
		SHEET 1 OF 1

FAN COIL UNIT


Luxurious Cassettes
FCU30



FAN COIL UNIT

Luxurious Cassettes *FCU30*

FAN CURVE



FAN COIL UNIT

Luxurious Cassettes *FCU30*

NOISE CURVE

