

Fan Coil Unit

Luxurious Cassettes

FCU50

Model Number Configuration

FCU50-XD-A : Luxurious Cassette

PERFORMANCE DATA

RETURN AIR

Model	Row	Air Flow			Rated Cooling Capacity	Rated heating Capacity	Water Flow	Water Resistance	Noise	Input Power	Weight
		L/S									
		H	M	L							
FCU50	2	236	179	132	4.5	6.8	0.21	27	43	76	26

Notes for Return Air:



1. Cooling: Air on temp. DB/WB 27°C/19.5°C, Water in/out temp.7°C/12°C.
2. Heating: Air on temp. 21°C DB . Water in temp. 60°C.

SPECIFICATION

- **Forward curved centrifugal fan**
- **Single phase motor & direct drive**
- **Coils: Copper tube & Aluminum fins**
- **Galvanised sheet casing**
- **A3 steel sheet painting drip-tray**
- **Capacitance type motor**

Luxurious Cassettes

FCU50




Ceiling Open Size: 780 - 810mm

DRAWN BY:	DATE:	DUNNAIR
	2009/10/12	
APPROVED Q.A.:	APPROVED ENG.:	TITLE: Water Cooled Fan Coil Unit
MODEL:	FCU50XD-A	FCU TYPE
		DRAWING NO.:
	SCALE:	ISSUE:
		SHEET 1 OF 1
		SHEET SIZE: A4

FAN COIL UNIT


Luxurious Cassettes *FCU50*



FAN COIL UNIT

Luxurious Cassettes *FCU50*

FAN CURVE



FAN COIL UNIT

Luxurious Cassettes *FCU50*

NOISE CURVE

