

Fan Coil Unit

Luxurious Cassettes

FCU60

Model Number Configuration

FCU60-XD-A : Luxurious Cassette

PERFORMANCE DATA

RETURN AIR

Model	Row	Air Flow			Rated Cooling Capacity	Rated heating Capacity	Water Flow	Water Resistance	Noise	Input Power	Weight
		L/S									
		H	M	L							
FCU60	2	283	207	156	5.4	8.1	0.26	29.6	45	96	26

Notes for Return Air:



1. Cooling: Air on temp. DB/WB 27°C/19.5°C, Water in/out temp. 7°C/12°C.
2. Heating: Air on temp. 21°C DB . Water in temp. 60°C.

SPECIFICATION


- Forward curved centrifugal fan
- Single phase motor & direct drive
- Coils: Copper tube & Aluminum fins
- Galvanised sheet casing
- A3 steel sheet painting drip-tray
- Capacitance type motor

Luxurious Cassettes

FCU60




Ceiling Open Size: 780-810mm

DRAWN BY:	DATE: 2009/10/12		
APPROVED Q.A.:	APPROVED ENG.:	TITLE: Water Cooled Fan Coil Unit	
MODEL: FCU60XD-A	DRAWING NO.:	FCU TYPE	SHEET SIZE: A4
	SCALE:	SHEET 1 OF 1	ISSUE:

FAN COIL UNIT


Luxurious Cassettes *FCU60*



FAN COIL UNIT

Luxurious Cassettes *FCU60*

FAN CURVE



FAN COIL UNIT

Luxurious Cassettes *FCU60*

NOISE CURVE

